

JORDAIR PARTS CATALOGUE



This catalogue is intended to provide a guide for the most commonly purchased spares and replacement parts for our equipment. Some less used items are not listed but are available upon request. Larger replacement components such as filter towers and auto-drain blocks will require consultation with a Jordair sales rep to ensure the correct part numbers are provided.

COMPRESSOR SERVICE ITEMS

NOTE: Consult your compressors original Test Report in the manual to find your systems service parts

Intake and Oil filters

| | | | |
|---|---|--|--|
|  | N70 Air Intake Filter for U1 to K12 (PM-165) |  | N25950 Air Intake Filter for 1K00/120 (C630) |
|  | N25886 Air Intake Filter for IK15.1 to IK18.1 from 2004 (C1140) |  | N3029 Air Intake Filter for K15 to K220 (LA-690) |
|  | N4823 Air Intake Filter for U10 + V2B (C64/2) |  | N25326 Oil Filter for IK100 to IK18.1 From 2004 |

Separators Elements

| | | | |
|---|---|--|--|
|  | FC-708-SE Separator Element For JS-6000-A-708-15 |  | FC-1008-SE Separator Element For JS-7300-A-1008 |
|  | J-61860 Separator, Cintered Element | | |

Bauer Filter Cartridges

| | | | |
|---|---|--|---|
|  | 58821 Cartridge, Bauer, For 16" Chamber, Purifying & CO |  | |
| | 62504 Cartridge, Bauer, For 24" Chamber, Drying | | 57679 Cartridge, Bauer, For P21 System, Purifying |
| | 62565 Cartridge, Bauer, For 24" Chamber, Drying & Oil | | 59183 Cartridge, Bauer, For P21 System, Purifying & CO |
| | 67224 Cartridge, Bauer, For 24" Chamber, Purifying & CO | | 80114 Cartridge, Bauer, For P31 System, Purifying & CO |
| | 61687 Cartridge, Bauer, For 24" Chamber, Purifying & CO, Securus | | 67099 Cartridge, Bauer, Jumbo, For P121 System, Drying |
| | 58825 Cartridge, Bauer, For 33" Chamber, Drying | | 67097 Cartridge, Bauer, Jumbo, For P121 System, Purifying, Securus |
| | 58826 Cartridge, Bauer, For 33" Chamber, Drying & Oil | | 67812 Cartridge, Bauer, Super Jumbo, For P141 System, Drying |
| | 58827 Cartridge, Bauer, For 33" Chamber, Purifying & CO | | 67867 Cartridge, Bauer, Super Jumbo, For P141 System, Drying & Oil |
| | 60037 Cartridge, Bauer, For 33" Chamber, Purifying, Securus | | |

Compressor Oil

| | |
|---|--|
|  | <p>J-EP65-1 Mineral Compressor Oil - 1 Litre J-EP65-4 Mineral Compressor Oil - 4 Litres J-EP65-20 Mineral Compressor Oil - 20 Litres</p> |
|  | <p>J-C751-1 Chemlube Synthetic Compressor Oil - 1 Litre J-C751-4 Chemlube Synthetic Compressor Oil - 4 Litres J-C751-20 Chemlube Synthetic Compressor Oil - 20 Litres</p> |

Filter/Separator O-Rings

| | | | |
|---|--|--|--|
|  | <p>J-OR-2-334 O-Ring, Filter & Separator Caps - For 6" towers ("6500" and "7300" series)</p> |  | <p>J-OR-8-334 Back-Up Ring, Filter Caps - For 6" towers ("6500" and "7300" series)</p> |
|  | <p>J-SIL-2 Silicone O-Ring lubricant - 2 Ounces</p> |  | <p>J-SIL-4 Silicone O-Ring lubricant - 4 Ounces</p> |

Filter and Separator Tools

| | | | |
|---|---|--|---|
|  | <p>J-FW-P-SOCKET Chamber Wrench - Socket Type</p> |  | <p>J-JFD-S/F-TOOL Separator Cap Removal Tool - JBF Series</p> |
|---|---|--|---|

REPLACEMENT COMPONENTS AND KITS

Auto Drain

| | | | |
|---|--|--|---|
|  | <p>J-ADK-LP Auto Drain Seal Kit - Low pressure (Includes Cup seal, LP Seat, and O-rings)</p> |  | <p>J-ADK-HP Auto Drain Seal Kit - High pressure (Includes Cup seal, HP Seat, and O-rings)</p> |
|  | <p>J-ADP-LP Auto Drain - Low Pressure Piston</p> |  | <p>J-ADP-HP Auto Drain - High Pressure Piston</p> |
|  | <p>J-ADP-HP-SS Auto Drain - High Pressure Piston, Stainless Steel</p> |  | <p>J-AD-BV Auto Drain - Bleed Valve Adapter Assembly</p> |
|  | <p>J-MUFFLER-8 Auto Drain Collection System muffler - 1/2" NPT</p> <p>J-MUFFLER-12 Auto Drain Collection System muffler - 3/4" NPT</p> |  | <p>J-FOAM-ADCS-S Foam - For J-ADCS-S-C (7.5" x 7.5")</p> <p>J-FOAM-ADCS-M Foam - For J-ADCS-M-C (7.5" x 14")</p> <p>J-FOAM-ADCS-L Foam - For J-ADCS-L-C (11.5" x 21.5")</p> |
|  | <p>J-ADCS-S-C Auto Drain Collection System Tank Assembly, Complete - Small</p> <p>J-ADCS-M-C Auto Drain Collection System Tank Assembly, Complete - Medium</p> <p>J-ADCS-L-C Auto Drain Collection System Tank Assembly, Complete – Large</p> |  | <p>J-BD-1-6000 Auto Drain Assembly, 1 Block, 6000 PSIG</p> <p>J-BD-2-6000-1 Auto Drain Assembly, 2 Block, 6000 PSIG</p> <p>J-BD-3-6000-1 Auto Drain Assembly, 3 Block, 6000 PSIG</p> <p>J-BD-4-6000-1 Auto Drain Assembly, 4 Block, 6000 PSIG</p> <p><i>(Auto drain block assemblies include pistons and seals)</i></p> |

Pressure Maintaining Valve

| | | | |
|--|---|--|--|
|  | <p>J-PMV-6000 Pressure Maintaining Valve</p> |  | <p>J-PMV-K Pressure Maintaining Valve Kit</p> |
|--|---|--|--|

Valves

| | | | |
|--|--|--|---|
|  | 11430-KD Condensate Drain Valve |  | J-BV-6000-1/4-2-PM-4F-SS Ball Valve - 6000 PSI, 1/4 Turn, 2 Way, 1/4" FNPT (SS) |
|  | J-CV-7000-J-15-6FSAE-B Check Valve, Jordair, SS - 7000 PSI, 15 PSI Crack, 9/16" FSAE |  | J-CV-7000-J-KIT-B Check Valve Kit - For J-CV-7000-J-15-6FSAE-B |
|  | J-HLV-1 Line Valve - 1/4" MNPT x 1/4" FNPT |  | J-HLV-2 Line Valve, Panel Mount - 1/4" MNPT x 1/4" FNPT |
|  | J-HLV-K Line Valve Kit For all "HLV" valves |  | J-HLV-HANDWHEEL Hand wheel for J-HLV Line Valve |
|  | J-PTS-6-05 Pressure Toggle Switch for Fill Stations |  | J-F-EB-T-PL-14.4 Eye Bolt for Toggle Switch 1/4" x 4" |
|  | J-DP-O-B Bleed Valve, Inline - 1/4" MNPT x 1/4" FNPT (Brass) | | |

Gauges (All Jordair Gauges read PSI and kPa)

| | | | |
|---|--|---|---|
|  | 2.5" Diameter Centre-Back Panel Mount |  | 4" Diameter Lower-Back Panel Mount |
| | J-PG-PM-CBM-2.5-30+30-D -30 to 30 PSI | | J-PG-PM-LBM-4-400-D 400 PSI |
| | J-PG-PM-CBM-2.5-100 100 PSI | | J-PG-PM-LBM-4-7500-D 7500 PSI |
| | J-PG-PM-CBM-2.5-200-D 200 PSI | | |
| | J-PG-PM-CBM-2.5-600-D 600 PSI | | |
| | J-PG-PM-CBM-2.5-1500-D 1500 PSI | | |
| | J-PG-PM-CBM-2.5-3000-D 3000 PSI | | |
| J-PG-PM-CBM-2.5-7500-D 7500 PSI | | | |

Pressure Relief Valves (Always indicate set pressure when ordering)

| | | | |
|--|--|--|--|
|  | <p>J-PRV-1-900-7500-4-A Pressure Relief Valve - 900 to 7500 PSI, 1/4" MNPT</p> |  | <p>Pressure Relief Valve - 1/4" MNPT J-PRV-3-110-4 – 110 PSI J-PRV-3-140-4 – 140 PSI J-PRV-3-150-4 – 150 PSI J-PRV-3-165-4 – 165 PSI J-PRV-3-200-4 – 200 PSI</p> |
|  | <p>J-PRV-2-6500-4 CRN Pressure Relief Valve (Kunkle) Set at 6500 PSI, 1/4" MNPT <i>(Other pressures available on request)</i></p> | | |

Regulators (Note: Other regulator variations may be available, consult a Jordair rep for more info)

| | | | |
|--|--|--|--|
|  | <p>J-PR-6-400-03 Pressure Regulator - 6000 Inlet, 0-400 PSI Outlet</p> |  | <p>J-PR-6-6000-03 Pressure Regulator - 6000 Inlet, 0- 6000 PSI Outlet</p> |
|  | <p>J-PR-6-6000-03-MB Pressure Regulator Mounting Bracket - J-PR-6-6000-03</p> |  | <p>J-PR-6-6000-03-K Pressure Regulator Kit - J-PR-6-6000- 03</p> |

Fill Station Components

| | | | |
|--|---|--|---|
|  | <p>J-LPS-2 Nut and Nipple - CGA 346, 2216/3000 PSIG</p> |  | <p>J-LPS-5 Nut and Nipple - CGA 347, 4500 PSIG</p> |
|  | <p>J-LPS-6 Nut and Nipple - CGA 702, 6000 PSIG</p> |  | <p>J-OR-2-010-U90 O-Ring for CGA 346 and 347 Fill Nipples</p> |
|  | <p>J-PGR-O Scuba Yoke & Bleeder Assembly</p> |  | <p>J-DBS-5 Bleeder Screw - For J-PGR-O Scuba Yoke</p> |
|  | <p>J-GLS-57 Fill Hose Assembly - 2216 PSIG SCBA, c/w Bleeder</p> |  | <p>J-GLO-57 Fill Hose Assembly - 4500 PSIG SCBA, c/w Bleeder</p> |
|  | <p>J-GLA-5 Fill Hose Assembly - 3000 PSIG SCBA Scuba, c/w Bleeder</p> |  | <p>J-DIN-5-2 Fill Hose Assembly - DIN 2216 PSIG SCUBA, c/w Bleeder</p> |
|  | <p>J-DIN-5-5 Fill Hose Assembly - DIN 4500 PSIG SCUBA, c/w Bleeder</p> |  | <p>J-DIN-AD-2 Fill Adapter - DIN 2216 PSIG SCUBA to SCBA CGA-346</p> |



| | | | |
|---|---|--|--|
|  | J-DIN-AD-3 Fill Adapter - DIN 2216/3000 PSIG SCUBA to J-PGR-O |  | J-DIN-AD-5 Fill Adapter - DIN 4500 PSIG SCUBA to SCBA CGA-347 |
|  | J-BRF 7000 Flow Restrictor - .007" Orifice |  | J-BRF 1/64 Flow Restrictor - 1/64" Orifice |
|  | J-FHM-YELLOW Fill Station Fill Hose Marker - Yellow (2216/3000 PSIG SCBA) |  | J-FHM-GREEN Fill Station Fill Hose Marker - Green (4500 PSIG SCBA) |
|  | J-FHM-BLUE Fill Station Fill Hose Marker - Blue (3000 PSIG SCUBA) |  | J-OA-CGA-346-4M-B Outlet Adapter - CGA-346, 1/4" MNPT (Brass) |
|  | J-OA-CGA-346-4F-B Outlet Adapter - CGA-346, 1/4" FNPT (Brass) |  | J-OA-CGA-347-4F-SS Outlet Adapter - CGA-347, 1/4" FNPT (Stainless Steel) |

Clamps

| | | | |
|--|---|---|--|
|  | J-CLAMP-P-2070 Clamp, 2 Piece, 6" - For 7300 PSIG Filter & Separator Chambers |  | J-CLAMP-P-1126 Clamp, 2 Piece, 9" - For TC/DOT Air Storage Cylinders |
|--|---|---|--|

Filter System Components

NOTE: Filter chambers do not include cartridges

| | | | |
|--|--|--|--|
| | JS-AA-7300-1008 Separator Chamber - 7300 PSIG Includes FC-1008-SE element | | JBF-AA-7300-16 Filter Chamber - 7300 PSIG 16" Barrel |
| | JBF-AA-7300-22 Filter Chamber - 7300 PSIG 22" Barrel | | JBF-AA-7300-22-S Filter Chamber - 7300 PSIG 22" Barrel, Securus Cap |
| | JBF-AA-7300-32 Filter Chamber - 7300 PSIG 32" Barrel | | JBF-AA-7300-32-S Filter Chamber - 7300 PSIG 32" Barrel, Securus Cap |
|  | J-T-MSAESC-4-6-SS Male Straight Connector 1/4" Tube x 9/16" MSAE (SS) |  | J-T-MSAESC-6-6-SS Male Straight Connector 3/8" Tube x 9/16" MSAE (SS) |

| | | | |
|--|---|--|--|
| | FC-104-T Separator Element Top Plate For JS-6400-A-1008/JS-7300-1008 | | FC-104-B Separator Element Bottom Plate For JS-6400-A-1008/JS-7300-1008 |
|  | FC-103 Separator Element Stem For JS-6400-A-1008/JS-7300-1008 |  | N6391 Securus Moisture Monitor Filter Cap Kit To be purchased with DWG-A1647 for JBF-7300 models |
|  | DWG-A1647 Pin for Moisture Monitor Filter Cap - For JBF-7300 models only | | |

ELECTRICAL COMPONENTS

NOTE: Electrical components can vary depending on model, year, and compressor voltage.

Hour Meters (*For compressors made before 2014 consult a Jordair rep)

| | |
|--|---|
|  | J-E-HM-120-C Hour Meter - 120 VAC (For Post-2014 Compressors)* |
|--|---|

Switches

| | | | |
|--|---|--|---|
|  | J-E-PSW-0-10000-4-1 Final Pressure Switch, Trans-0-10000 PSI, 1/4" MNPT, 7% Hysteresis (Non-Adjustable) |  | J-E-ATSW-350F High Air Temperature Switch, 350F |
|--|---|--|---|

















CO Monitor and Accessories

| | | | |
|---|---|--|---|
|  | J-E-COM-4021 Replacement CO Monitor GfG 4021 (NOTE: This is for replacing an existing 4021 monitor only) |  | J-CALKIT-4021 Calibration Kit CO Monitor, 4021 |
|  | J-CALGAS-4021-CO-20 Calibration Gas, Span, CO/Air - CO Monitor, 4021 (Carbon Monoxide: 20 PPM) |  | J-CALGAS-4021-IFA Calibration Gas, Impurity free air - 34L |
|  | J-E-COMSENSOR-4021-1 Replacement Sensor CO Monitor, 4021 | | |


High Pressure Fittings

(Note: Other sizes than shown may be available, contact a Jordair rep for more info)


JIC Fittings


| | | | |
|--|---|--|--|
|  | J-J-FSC-4-4-S Female Straight Connector - 1/4" MJIC x 1/4" FNPT |  | J-J-MSC-4-4-S Male Straight Connector - 1/4" MJIC x 1/4" MNPT |
|  | J-J-MSAESC-4-4-S Male Straight Connector - 1/4" MJIC x 7/16" MSAE |  | J-J-MBSPSC-4-4-S Male Straight Connector - 1/4" MJIC x 1/4" MBSP |
|  | J-J-MSAESC-4-6-S Male Straight Connector - 1/4" MJIC x 9/16" MSAE |  | J-J-FBC-4-4-S Female Bulkhead Connector - 1/4" MJIC x 1/4" FNPT |
|  | J-J-U-4-S Union - 1/4" MJIC |  | J-J-MBC-4-4-S Male Bulkhead Connector - 1/4" MJIC x 1/4" MNPT |
|  | J-J-UE-4-S Union Elbow - 1/4" MJIC |  | J-J-BU-4-S Bulkhead Union - 1/4" MJIC |
|  | J-J-MSAEE-4-4-S Male Elbow - 1/4" MJIC x 7/16" MSAE |  | J-J-FE-4-4-S Female Elbow - 1/4" MJIC x 1/4" FNPT |
|  | J-J-MSAEE-4-6-S Male Elbow - 1/4" MJIC x 9/16" MSAE |  | J-J-ME-4-4-S Male Elbow |
|  | J-J-FBT-4-4-S Female Branch Tee - 1/4" MJIC x 1/4" FNPT |  | J-J-MBT-4-4-S Male Branch Tee - 1/4" MNPT x 1/4" MNPT |
|  | J-J-UT-4-S Union Tee - 1/4" MJIC |  | J-J-MRT-4-4-S Male Run Tee - 1/4" MJIC x 1/4" MNPT |

Pipe Fittings

| | | | |
|--|---|---|--|
|  | J-P-HN-4-S Hex Nipple - 1/4" FNPT |  | J-P-HC-4-S Hex Coupling - 1/4" FNPT |
|  | J-P-FSAEAB-4-6-S Adapter Bushing - 1/4" MNPT x 9/16" FSAE |  | J-P-MSAEAB-6-4-S Adapter Bushing - 9/16" MSAE x 1/4" FNPT <i>(Required for separator PRV)</i> |
|  | J-P-MSAEHAN-6-4-S Hex Adapter Nipple - 9/16" MSAE x 1/4" MNPT |  | J-P-SE-4-4-S Street Elbow - 1/4" MNPT x 1/4" FNPT |
|  | J-P-ME-4-4-S Male Elbow - 1/4" MNPT x 1/4" MNPT |  | J-P-FE-4-4-S Female Elbow - 1/4" FNPT |
|  | J-P-MSAESE-6-4-S Street Elbow - 9/16" MSAE x 1/4" FNPT |  | J-P-ST-4-4-S Street Tee - 1/4" MNPT x 1/4" FNPT |
|  | J-P-FT-4-S Female Tee - 1/4" FNPT |  | J-P-MBT-4-4-S Male Branch Tee - 1/4" MNPT x 1/4" FNPT |

Tube Fittings

| | | | |
|--|--|--|--|
|  | J-T-BU-4-S Bulkhead Union - 1/4" Tube |  | J-T-U-4-S Union - 1/4" Tube |
|  | J-T-MJBC-4-4-S Bulkhead Connector, Tube to JIC - 1/4" Tube x 1/4" MJIC |  | J-T-MSAESC-4-6-S Male Straight Connector - 1/4" Tube x 9/16" MSAE J-T-MSAESC-6-6-S Male Straight Connector - 3/8" Tube x 9/16" MSAE |
|  | J-T-FSC-4-4-S Female Straight Connector - 1/4" Tube x 1/4" FNPT |  | J-T-MSC-4-4-S Male Straight Connector - 1/4" Tube x 1/4" MNPT J-T-MSC-6-4-S Male Straight Connector - 3/8" Tube x 1/4" MNPT |

| | | | |
|--|--|--|--|
|  | J-J-FBC-4-4-S Female Bulkhead Connector - 1/4" MJIC x 1/4" FNPT |  | J-T-MBC-4-4-S Male Bulkhead Connector - 1/4" Tube x 1/4" MNPT |
|  | J-T-ME-4-4-S Male Elbow - 1/4" Tube x 1/4" FNPT J-T-ME-6-4-S Male Elbow - 3/8" Tube x 1/4" FNPT |  | J-T-MSAEE-4-4-S Male Elbow - 1/4" Tube x 7/16" MSAE J-T-MSAEE-6-6-S Male Elbow - 3/8" Tube x 9/16" MSAE |
|  | J-T-FE-4-4-S Female Elbow - 1/4" Tube x 1/4" FNPT |  | J-T-UE-4-S Union Elbow - 1/4" Tube |
|  | J-T-FRT-4-4-S Female Run Tee - 1/4" Tube x 1/4" FNPT |  | J-T-MRT-4-4-SS Male Run Tee - 1/4" Tube x 1/4" MNPT (SS) |
|  | J-T-FBT-4-4-S Female Branch Tee - 1/4" Tube x 1/4" FNPT |  | J-T-MBT-4-4-S Male Branch Tee - 1/4" Tube x 1/4" MNPT |
|  | J-T-UT-4-S Union Tee - 1/4" Tube | | |

High Pressure Hose and Tubing

Breathing Air Hose

(Always indicate required hose ends when ordering hose assemblies)

| | | | |
|--|---|--|------------------------|
|  | J-520N-4-12 | Hose Assembly, 1/4" 7000 PSIG Hose, - 12" long, specify hose ends | |
| | J-520N-4-18 | Hose Assembly, 1/4" 7000 PSIG Hose, - 18" long, specify hose ends | |
| | J-520N-4-24 | Hose Assembly, 1/4" 7000 PSIG Hose, - 24" long, specify hose ends | |
| | J-520N-4-30 | Hose Assembly, 1/4" 7000 PSIG Hose, - 30" long, specify hose ends | |
| | J-520N-4-36 | Hose Assembly, 1/4" 7000 PSIG Hose, - 36" long, specify hose ends | |
| | J-520N-4-48 | Hose Assembly, 1/4" 7000 PSIG Hose, - 48" long, specify hose ends | |
| | J-520N-4-60 | Hose Assembly, 1/4" 7000 PSIG Hose, - 60" long, specify hose ends | |
| | J-520N-4-72 | Hose Assembly, 1/4" 7000 PSIG Hose, - 72" long, specify hose ends | |
| | J-520N-4-96 | Hose Assembly, 1/4" 7000 PSIG Hose, - 96" long, specify hose ends | |
| | J-520N-4-120 | Hose Assembly, 1/4" 7000 PSIG Hose, - 120" long, specify hose ends | |
| | J-520N-4-180 | Hose Assembly, 1/4" 7000 PSIG Hose, - 180" long, specify hose ends | |
| J-520N-4-240 | Hose Assembly, 1/4" 7000 PSIG Hose, - 240" long, specify hose ends | | |
| J-520N-4-CUSTOM | Hose Assembly, 1/4" 7000 PSIG Hose, - Specify length & hose ends | | |
|  | 1/4" Female JIC Swivel Hose End |  | 1/4" Male NPT Hose End |

Quick Disconnects

| | | | |
|--|--|--|--|
|  | <p>J-QD-HK-F-4F Quick Disconnect - HK Series, Female, 1/4" FNPT</p> |  | <p>J-QD-HK-M-4F Quick Disconnect - HK Series, Male, 1/4" FNPT</p> |
|--|--|--|--|

Tubing

(Sold by the foot)

| | | | | | | | | | | | |
|--|---|-----------------------------|--|-----------------------------|--|-----------------------------|--|-----------------------------|---|-----------------------------|---|
|  | <table border="0"> <tr> <td>J-TUBE-SS-316-18-028</td> <td>Tube, Stainless Steel, 316 - 1/8" - For 5000, 6000 & 7200 PSIG service</td> </tr> <tr> <td>J-TUBE-SS-316-14-049</td> <td>Tube, Stainless Steel, 316 - 1/4" - For 6000 & 7200 PSIG service</td> </tr> <tr> <td>J-TUBE-SS-316-38-065</td> <td>Tube, Stainless Steel, 316 - 3/8" - For 5000 & 6000 PSIG service</td> </tr> <tr> <td>J-TUBE-SS-316-38-083</td> <td>Tube, Stainless Steel, 316 - 3/8" - For 7200 PSIG service</td> </tr> <tr> <td>J-TUBE-SS-316-12-083</td> <td>Tube, Stainless Steel, 316 - 1/2" - For 6000 PSIG service</td> </tr> </table> | J-TUBE-SS-316-18-028 | Tube, Stainless Steel, 316 - 1/8" - For 5000, 6000 & 7200 PSIG service | J-TUBE-SS-316-14-049 | Tube, Stainless Steel, 316 - 1/4" - For 6000 & 7200 PSIG service | J-TUBE-SS-316-38-065 | Tube, Stainless Steel, 316 - 3/8" - For 5000 & 6000 PSIG service | J-TUBE-SS-316-38-083 | Tube, Stainless Steel, 316 - 3/8" - For 7200 PSIG service | J-TUBE-SS-316-12-083 | Tube, Stainless Steel, 316 - 1/2" - For 6000 PSIG service |
| J-TUBE-SS-316-18-028 | Tube, Stainless Steel, 316 - 1/8" - For 5000, 6000 & 7200 PSIG service | | | | | | | | | | |
| J-TUBE-SS-316-14-049 | Tube, Stainless Steel, 316 - 1/4" - For 6000 & 7200 PSIG service | | | | | | | | | | |
| J-TUBE-SS-316-38-065 | Tube, Stainless Steel, 316 - 3/8" - For 5000 & 6000 PSIG service | | | | | | | | | | |
| J-TUBE-SS-316-38-083 | Tube, Stainless Steel, 316 - 3/8" - For 7200 PSIG service | | | | | | | | | | |
| J-TUBE-SS-316-12-083 | Tube, Stainless Steel, 316 - 1/2" - For 6000 PSIG service | | | | | | | | | | |